

© 2023 AODES BRAND

ODES USA INC

5549 Stockdale Court, Jurupa Valley, CA 92509, United States (+1) 951 999 9180 info@aodes.com





















PATHCROSS

I OVERVIEW PATHCROSS LINEUPS

Our 2023 AODES ATV lineup will give you the confidence to travel anywhere, knowing that you are well-equipped to handle any terrain or obstacle in your way. V-Twin engines in 650, 800, and 1000 cc displacements put all that power right where you want it. Electronic power steering is one of our many standard features that makes even the most difficult trails manageable and long rides enjoyable. Winches are also Standard Equipment from the factory and can be used for anything from navigating terrain to rescuing your friends who have gotten themselves stuck.



1,000 INNOVATIONS

V-TWIN ENGINE SERIES

With hundreds of continual advances developed by R&D engineers, the AODES 650, 800, and 1000CC engine Family (max. HP 86 and 101 Nm torque) has become the gold standard for V-twin engines in the offroad All Terrain high-cc class. The AODES V-twin series is the result of more than 30 years of development and refinement. Maximum traction and smooth acceleration are only some of the driving pleasures you'll experience thanks to the vehicle's robust engine, dependable performance, and time-tested reliability. As a result of its dedication to the community of experts, distributors, and end users, AODES V-twin has become well-known all over the world.



PATHCROSS LUXURY SERIES



Titanium Gray

Light Green Sand Gold

ENGINE: V-twin, Four-stroke, Liquid-cooled

SUSPENSIONS: Independent Dual A-Arm

Torsional Trailing Arm Independent (TTI) Adjustable Coilover Gas Shocks

WHEELS: 26×9-R14 26×11-R14

PROTECTION: Rear Bumper

Rear Diff with Diff Lock Handbar Protector

PATHCROSS STANDARD SERIES



Titanium Grav

Light Green Sand Gold

ENGINE: V-twin, Four-stroke, Liquid-cooled

SUSPENSIONS: Independent Dual A-Arm

Torsional Trailing Arm Independent (TTI) Adjustable Coilover Shocks

MINIMUM GROUND CLEARANCE (MM): 285

WHEELS: 26×9-R14 26×11-R14









For more comfortable cool riding experience, with a patented design of air conducting passage surrounding the emission system for less heating up feel to the rider.

ACTIVE EMISSION COOLING SYSTEM (AEC)



HIGHER GROUND CLEARANCE, LONGER TRAVEL OF SUSPENSION

FEATURES

Intended to conquer more severe road conditions or experience more thrill? PathCross got higher ground clearance of 255mm, and longer travel suspension of 240mm which improve vertical traveling room so that you could ride more comfortably & smoothly.



AUTOMATIC REAR & ADJUSTABLE FRONT DIFFERENTIAL SYSTEM

Got stuck in potholes or tackling conditions like mudding, sharp bend road and remote sites? Take it easy, with front & rear differential system armed PathCross could perfectly improve maneuverability and stability of your ride. The front differential system could also be locked to ensure that each wheel has access to all of the torque coming into the axle, even if one wheel is off the ground -- this improves performance in severe road conditions.



FEATURES

Vehicle Speed, Engine Speed, accumulated mileage, Turn signal (left, right), Headlight (High / Low beam), Position lights, EPS indicator, ECU, Gas Level light, Coolant Temp., Park indicator, Oil indicator, Battery indicator, Trailer Indicator and brake failure indicator all integrated.

MULTI-FUNCTION GAUGE





FEATURES

This design prevent excessive mud from covering the heat dissipation pads of the coolant tank which will maintain optimal engine cooling performance through seriously challenging terrain.

TOP PLACED COOLANT EXPANSION TANK







Pathcross 650-S

Handbar Protector



Pathcross 650-L



FRONT & REAR BUMPERS

Pathcross 800-S



White

Como

Injected Black

Light Green

Sand gold

Pathcross 800-L

FRONT & REAR BUMPERS



FRONT & REAR BUMPERS

ENGINE Type Fuel Delivery System Transmission way Drive Train Power Steering	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)
SUSPENSIONS Front Suspension Rear Suspension Shocks	Independent Dual A-Arm				
	Torsional Trailing Arm Independent (TTI)				
	Adjustable Coilover Shocks	Adjustable Coilover Shocks	Gas Shocks	Gas Shock	Adjustable Coilover Shocks
WHEELS Front Rear	26×9-R14	26×9-R14	26×9-R14	26×9-R14	26×9-R14
	26×11-R14	26×11-R14	26×11-R14	26×11-R14	26×11-R14
BRAKES Front Rear	Disc brake				
	Disc brake				
DIMENSIONS & CAPACITIES Curb Weight: (Kgs) Gross Vehicle Weight (Kgs) L × W × H (mm) Wheelbase (mm) Minimum ground clearance (mm) Bed dimensions (mm) Fuel Capacity (L)	438 593 2298x1246x1335 1348 255 — 22	458 690 2450 x1246 x1400 1508 255 —	443 593 2298x1246x1335 1348 255 —	463 690 2450 x1246 x1400 1508 255 —	458 690 2450 x1246 x1400 1508 255 —
FEATURES Gauge Parking brake type Lighting Winch Tires	Dashdisplay	Dashdisplay	Dashdisplay	Dashdisplay	Dashdisplay
	Handle brake				
	LED headlight, LED tail lights				
	3500lb winch				
	26" TYERS				

FRONT & REAR BUMPERS



(PathCross 1000 L Standard)

Dashdisplay

Handle brake

J-LEVEL 26" TYERS

Options

LED headlight, LED tail lights

Aluminum taper-profile handlebar with Grab

handle and full wrap handguards, Mudguards, DRLs



PATHCROSS 1000 S Luxury

Dashdisplay

Handle brake

3500lb winch

26" TYERS

LED headlight, LED tail lights

FRONT & REAR BUMPERS



PATHCROSS 1000 L Luxury



PATHCROSS 1000 MUD PRO S

Sand gold/Red

Grey/Yellow



Dashdisplay

Handle brake

LED headlight, LED tail lights

Aluminum taper-profile handlebar with Grab

handle and full wrap handguards, Mudguards, DRLs

Front 3500lbs winch

30"CST Mud Tires

PATHCROSS 1000 MUD PRO L

Dashdisplay

Handle brake

LED headlight, LED tail lights

Aluminum taper-profile handlebar with Grab

handle and full wrap handguards, Mudguards, DRLs

Front 3500lbs winch

30"CST Mud Tires



ENGINE Type Fuel Delivery System Transmission way Drive Train Power Steering	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)	V-twin Electronic Fuel Injection (EFI) Shaft drive 2WD-4WD ELECTRIC POWER STEERING SYSTEM(EPS)
SUSPENSIONS Front Suspension Rear Suspension Shocks	Independent Dual A-Arm				
	Torsional Trailing Arm Independent (TTI)				
	Adjustable Coilover Shocks	Adjustable Coilover Shocks	Adjustable Coilover Shocks	Adjustable Coilover Gas Shocks	Adjustable Coilover Gas Shocks
WHEELS Front Rear	26×9-R14	26×9-R14	26×9-R14	30×9-R14(Mud Tire)Qingdao	30×9-R14(Mud Tire)Qingdao
	26×11-R14	26×11-R14	26×11-R14	30×11-R14(Mud Tire)Qingdao	30×11-R14(Mud Tire)Qingdao
BRAKES Front Rear	Disc brake				
	Disc brake				
DIMENSIONS & CAPACITIES Curb Weight: (Kgs) Gross Vehicle Weight (Kgs) L × W × H (mm) Wheelbase (mm) Minimum ground clearance (mm) Bed dimensions (mm) Fuel Capacity (L)	478 690 2450x1246 x1400 1508 285 — 22	458 690 2450 xl246 xl400 l508 255 — 22	478 690 2450x1246 x1400 1508 285 — 22	455 573 2298xl246xl335 1348 330 —	455 573 2298xi246xi335 1348 330 —
FEATURES					

Dashdisplay

Handle brake

Front 3500lbs winch

J-LEVEL 26" TYERS

LED headlight, LED tail lights

Aluminum taper-profile handlebar with Grab

handle and full wrap handguards, Mudguards, DRLs

Gauge

Winch

Tires

Protection

Parking brake type